

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	delet\$3 near2 (CRL or revocation adj list) near2 update and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 13:11
L2	0	eras\$3 near2 (CRL or revocation adj list) near2 update and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 13:12
L3	1	(eras\$3 or discard\$3 or delet\$3) near3 (CRL or revocation) near3 update and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 13:13
L4	24	(eras\$3 or discard\$3 or delet\$3) near3 (CRL or revocation) and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 13:16
L5	0	(eras\$3 or discard\$3 or delet\$3) near3 (notice or update) same successfully near2 received with repl\$4 and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 13:17
L6	4	(eras\$3 or discard\$3 or delet\$3) near3 (notice or update) same successfully near2 received with (notice or update) and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 13:24
L7	616	(eras\$3 or discard\$3 or delet\$3 or remov\$3 or eliminat\$3) near3 (notice or update) same (received or updated) with (notice or update) and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 13:25
L8	1	(eras\$3 or discard\$3 or delet\$3 or remov\$3 or eliminat\$3) near3 (notice or update) same (received or updated) with (notice or update) same (CRL or revocation or revoked) and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 13:27

L9	1	(eras\$3 or discard\$3 or delet\$3 or remov\$3 or eliminat\$3) near3 (notice or update) same (received or updated) with (notice or update) same (CRL or revocation or revok\$3) and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 13:27
L10	26	(eras\$3 or discard\$3 or delet\$3 or remov\$3 or eliminat\$3) near3 (notice or update or CRL or revocation or revok\$3) same (received or updated) with (notice or update or CRL or revocation or revok\$3) same (CRL or revocation or revok\$3) and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 14:16
L11	26	(eras\$3 or discard\$3 or delet\$3 or remov\$3 or eliminat\$3) near3 (notice or update or CRL or revocation or revok\$3) same successful\$3 near2 updat\$3 and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 14:17
L12	26	(eras\$3 or discard\$3 or delet\$3 or remov\$3 or eliminat\$3) near3 (notice or update or CRL or revocation or revok\$3) same successful\$3 near2 updat\$3 and @ad<"20010817" not l10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 14:32
L13	1	(CRL or revocation or revok\$3) with successful\$3 near2 updat\$3 and @ad<"20010817" not l10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 14:32
L14	246	(CRL or revocation or revok\$3) with updat\$3 and @ad<"20010817" not l10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 14:33
L15	2	(CRL or revocation or revok\$3) with updat\$3 same (notification or notif\$3 or alert\$3) near3 updat\$3 and @ad<"20010817" not l10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 14:33
L16	1	(acknowledg\$3 or notification) near4 (receiv\$3 or receipt) near3 (revocation or CRL) and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 14:42

L17	2	(acknowledg\$3 or notification or notif\$4) near4 (receiv\$3 or receipt) near3 (revocation or CRL) and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 14:43
L18	2	(acknowledg\$3 or notification or notif\$4) near4 (receiv\$3 or receipt or updat\$3) near3 (revocation or CRL) and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 14:43
L19	8	(acknowledg\$3 or notification or notif\$4) with (receiv\$3 or receipt or updat\$3) with (revocation or CRL) and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 14:44
L20	6	(acknowledg\$3 or notification or notif\$4) with (receiv\$3 or receipt or updat\$3) with (revocation or CRL) and @ad<"20010817" not I18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 14:45
L21	23	(acknowledg\$3 or notification or notif\$4 or response) with (receiv\$3 or receipt or updat\$3) with (revocation or CRL) and @ad<"20010817" not I18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 14:45
L22	17	(acknowledg\$3 or notification or notif\$4 or response) with (receiv\$3 or receipt or updat\$3) with (revocation or CRL) and @ad<"20010817" not I18 not I20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 14:57
L23	19	(acknowledg\$4 or notification or notif\$4 or response) with (receiv\$3 or receipt or updat\$3) with (revocation or CRL) and @ad<"20010817" not I18 not I20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 14:58
L24	0	(acknowledg\$3 or notification or notif\$4 or response) with (receiv\$3 or receipt or updat\$3) with (revocation or CRL) and @ad<"20010817" not I18 not I20 not I22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 14:57

L25	8	(acknowledg\$4 or notification or notif\$4 or response) with (receiv\$3 or receipt or updat\$3) with (revocation or CRL) and @ad<"20010817" not l18 not l22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:11
L26	2	l23 not l22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:06
L27	2	"20010011255".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:06
L28	0	l27 and (delet\$3 or eras\$3 or remov\$3) with notice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:08
L29	1	l27 and (delet\$3 or eras\$3 or remov\$3) and notice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:08
L30	31	(acknowledg\$4 or notification or notif\$4 or response) with (receiv\$3 or receipt or updat\$3) with (revocation or CRL or revok\$3) and @ad<"20010817" not l18 not l22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:18
L31	8	(acknowledg\$4 or notification or notif\$4 or response) with (receiv\$3 or receipt or updat\$3) with (revocation or CRL) and @ad<"20010817" not l18 not l22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:20
L32	190	(remov\$3 or delet\$3 or eras\$3) with (notice or update or revocation or CRL) same (revocation or CRL) and @ad<"20010817" not l18 not l22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:22

L33	73	(remov\$3 or delet\$3 or eras\$3) near3 (notice or notification or update or revocation or CRL) same (revocation or CRL) and @ad<"20010817" not l18 not l22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:23
L34	36	(remov\$3 or delet\$3 or eras\$3) near2 (notice or notification or update or revocation or CRL) same (revocation or CRL) and @ad<"20010817" not l18 not l22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:30
L35	9	(remov\$3 or delet\$3 or eras\$3) near2 (notice or notification or update or revocation or CRL) with successful\$3 near2 updat\$3 and @ad<"20010817" not l18 not l22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:35
L36	74	(remov\$3 or delet\$3 or eras\$3) near2 (notice or notification or update or revocation or CRL) with (notificat\$3 or notif\$3 or acknowledg\$4) with updat\$3 and @ad<"20010817" not l18 not l22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:37
L37	29	(remov\$3 or delet\$3 or eras\$3) near2 (notice or notification or update or revocation or CRL) with (notificat\$3 or notif\$3 or acknowledg\$4) near3 updat\$3 and @ad<"20010817" not l18 not l22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:45
L38	487	(remov\$3 or delet\$3 or eras\$3) near2 (notice or notification or update or revocation or CRL) with (notificat\$3 or notif\$3 or acknowledg\$4) and @ad<"20010817" not l18 not l22 not l37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:45
L39	67	(remov\$3 or delet\$3 or eras\$3) near2 (updat\$3 or revocation or CRL) with (notificat\$3 or notif\$3 or acknowledg\$4) and @ad<"20010817" not l18 not l22 not l37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:46
L40	10	(remov\$3 or delet\$3 or eras\$3) near2 (updat\$3 or revocation or CRL) with (acknowledg\$4) and @ad<"20010817" not l18 not l22 not l37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:56

L41	1	(remov\$3 or delet\$3 or eras\$3) near2 (revocation or CRL) with updat\$3 and @ad<"20010817" not l18 not l22 not l37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:55
L42	4	(remov\$3 or delet\$3 or eras\$3 or eliminat\$3) near3 (revocation or CRL) with updat\$3 and @ad<"20010817" not l18 not l22 not l37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:56
L43	0	(remov\$3 or delet\$3 or eras\$3 or eliminat\$3) near3 (revocation or CRL) with acknowledgment and @ad<"20010817" not l18 not l22 not l37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:56
L44	41	(remov\$3 or delet\$3 or eras\$3) near2 (updat\$3 or revocation or CRL) with (notif\$4) and @ad<"20010817" not l18 not l22 not l37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:56
L45	8	"6044462".pn. "6684331".pn. "20020004773".pn. "20020080719".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 16:03
L46	3	l45 and (eras\$3 or delet\$3 or remov\$3 or eliminat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 16:04
L47	2	"6675180".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 16:04
L48	2	"20010011255".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 16:23

L49	2	"20010011255".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 17:25
L50	47	(713/155.ccls. 713/156.ccls. 713/158.ccls.) and @ad<"20010817" and @pd>"20050628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 18:15
S1	88	713/158.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 08:42
S2	65	S1 and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/21 18:40
S3	13	S2 and certificate\$2 near list	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/21 19:01
S4	24	S2 and ((certificate\$2 near list\$2) or CRL) not S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/21 19:02
S5	0	certificate\$2 near list\$2 and (revocation or revok\$4) and clone\$2 and certificate\$2 adj authorit\$4 and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 09:18
S6	76	certificate\$2 near list\$2 and (revocation or revok\$4)and certificate\$2 adj authorit\$4 and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 14:18

S7	1	one and "6675296".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 13:57
S8	76	certificate\$2 near list\$2 and (revocation or revok\$4)and certificate\$2 adj authorit\$4 and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 14:18
S9	36	certificate\$2 near list\$2 and (revocation or revok\$4)and ca and @ad<"20010817" not S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 08:09
S10	3	fu.in. and christina.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 08:09
S11	1	ajay.in. and sondhi.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 08:10
S12	12753	sun.asn. and microsystems.asn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 08:10
S13	9	S12 and @ad<"20010817" and revocation adj list\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 08:13
S15	46	cluster and certificate adj authorit\$3 and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 08:22



S16	18	clone\$2 and certificate adj authorit\$3 and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 08:28
S17	0	clone\$2 near certificate adj authorit\$3 and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 08:23
S18	449	713/156.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 08:28
S19	309	S18 and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 11:22
S20	2	"20020004773".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 10:21
S21	0	S20 and (ssl or socket\$2 adj layer\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 10:21
S22	477	713/155.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 11:22
S23	352	S22 and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 11:23

S24	25	S23 and (revocation adj list\$2 or blacklist\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 13:10
S25	2	"5889862".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 13:34
S26	0	secur\$3 and "6044462".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 13:37
S27	2	"6044462".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 13:37
S28	0	S27 and LDAP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 13:38
S29	45	SSL and CRL and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 14:28
S30	18	clone\$2 and certificate adj authorit\$3 and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 14:29
S31	83	cluster\$2 and certificate adj authorit\$3 and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 14:40

S32	0	notice near stor\$3 near send\$3 near detect\$3 and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 14:41
S33	6	stor\$3 near send\$3 near detect\$3 and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 14:41
S34	2	"20020004773".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 14:43
S35	1	S34 and secur\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 14:49
S36	507	log near received and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 14:54
S37	3590	repeat\$3 near (send\$3 or transmit\$3) and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 14:54
S38	1747	S37 and (send\$3 or transmit\$3) same receiv\$3 and stor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 14:57
S39	1461	S38 and receiv\$3 same stor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 14:58

S40	25	S39 and ("713"/\$.ccls. or "380"/\$.ccls)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 15:01
S41	400	S38 and repeatedly	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 15:51
S42	464	automatic adj repeat adj request and stor\$3 and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 15:52
S43	59	automatic adj repeat adj request same stor\$3 and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 15:52
S44	36	automatic adj repeat adj request same stor\$3 same error\$2 and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 18:00
S45	2	"20020080719".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 16:01
S46	0	S45 and secur\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 16:01
S47	2	"6247150".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 18:00

S48	4	"5745574".pn. "5687235".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 16:10
S50	2504	(CA or CAs or certificate adj authorit\$3) same (cluster or clone\$2) and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 16:21
S53	147	S50 not (gene\$2 or cell\$2 or dna\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 16:23
S54	4	S53 and (certificate adj authorit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 13:39
S55	0	single adj (CRL or revocation near list) with (CA or CAs or certificate adj authorit\$3) and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 13:40
S56	8	single near2 (CRL or revocation near list) and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 13:44
S57	14	one adj (CRL or revocation near list) and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 13:57
S58	1	central\$4 adj (CRL or revocation near list) and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 14:03

S59	0	clone near server\$2 same (certificate adj authorit\$3 or CA) and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 14:04
S60	0	clone same (certificate adj authorit\$3) and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 14:04
S61	4	plurality near server\$2 same (certificate adj authorit\$3 or CA) and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 14:04
S62	0	(CA or certificate adj authority) near3 (plurality or multiple or clone or cluster) near server\$2 and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 14:22
S63	8	(CA or certificate adj authority) near cluster and @ad<"20010817"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 14:28
S64	2	"5371794".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 14:28
S65	3	"6044462".pn. "20020004773".pn. and LDAP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 16:06
S66	1	("6044462".pn. "20020004773".pn.) and LDAP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 16:21

S67	1	S66 and (encrypt\$3 or secur\$3 or SSL) with CRL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 16:22
S68	0	S66 and SSL with CRL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 16:23
S69	29	(713/155.ccls. 713/156.ccls. 713/158.ccls.) and @ad<"20010817" and @pd>"20050222"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 18:14